



www.dq.com.au

Design Quintessence Pty Ltd

ABN 33 073 290 776

Unit 25, 7-9 Percy Street

Auburn NSW 2144

Tel (02) 9649 2266

Fax (02) 9649 2200

Email info@dq.com.au



Encore Case Dimensions and Weights 1/1/2007

Code	Description	Width O.D. (mm)	Depth O.D. (mm)	Height O.D. (mm)	Compartments	Internal Width (mm)	Internal Depth (mm)	Internal Height (mm)	Internal Lid Height (mm)	Net Weight (kg)
Rack Mount Combination Series										
ES RM-C12UM	12RU Combination Rack; W/C; Flat Shelf Top; Lid Only; No Cover Panels	560	525	920	Rack Mount Vertical	485	460	550	90	23
					Top Shelf	485	470	70	NA	
ES RM-C4U	4RU Combination Rack; 10RU Rack-Mount Top; Front, Back & Top Cover Panels	550	640	315	Rack Mount Vertical	485	425	195	70	11
					Rack Mount Top	485	450	50	NA	
ES RM-C6U	6RU Combination Rack; 10RU Rack-Mount Top; Front, Back & Top Cover Panels	550	640	400	Rack Mount Vertical	485	425	280	70	13
					Rack Mount Top	485	450	50	NA	
ES RM-C8U	8RU Combination Rack; 10RU Rack-Mount Top; Front, Back & Top Cover Panels	535	650	485	Rack Mount Vertical	485	345	360	50	19
					Rack Mount Top	485	360	370	50	
ES RM-CA16U	16RU Combination Rack; 10RU Rack-Mount Top; Front, Back & Top Cover Panels	620	690	1190	Rack Mount Vertical	485	470	720	70	43
					Rack Mount Top	485	450	135	50	
ES RM-C12UF	12RU Combination Rack; 10RU Rack-Mount Top; Front, Back & Top Cover Panels	550	695	950	Rack Mount Vertical	485	470	550	70	37
					Rack Mount Top	485	400	140	50	
ES RM-C16UDJ	16RU Combination Rack; Front/Back Cover Panels attach as Bench Side Wings	550	720	915	Rack Mount Vertical	485	490	730	70	42.0
ES RM-C16UTDJ	16RU Combination Rack; 10RU Top; Front/Back Covers attach as Bench Side Wings	560	730	1140	Rack Mount Vertical	485	490	470	60	49
					Rack Mount Top	485	145	450	40	
Economy Rack Mount Series										
ES RM-R6UF	6RU Basic Rack; W/R; No Cover Panels	535	500	325	Rack Mount Vertical	485	460	280	N/A	9.0
ES RM-R8UF	8RU Basic Rack; W/R; No Cover Panels	535	500	415	Rack Mount Vertical	485	460	360	N/A	23.5
Standard Rack Mount Series										
ES RM-R2UE	2RU Standard Rack; W/R; Front/Back Cover Panels	550	695	155	Rack Mount Vertical	485	470	95	60	6.0
ES RM-R3UE	3RU Standard Rack; W/R; Front/Back Cover Panels	550	695	200	Rack Mount Vertical	485	470	140	60	8.0
ES RM-R4UE	4RU Standard Rack; W/R; Front/Back Cover Panels	535	695	240	Rack Mount Vertical	485	470	180	65	10.5
ES RM-R6UE	6RU Standard Rack; W/R; Front/Back Cover Panels	550	695	330	Rack Mount Vertical	485	470	280	70	14.5
ES RM-R8UE	8RU Standard Rack; W/R; Front/Back Cover Panels	555	700	420	Rack Mount Vertical	485	470	360	70	20.5
ES RM-R10UE	10RU Standard Rack; W/R; Front/Back Cover Panels	560	700	520	Rack Mount Vertical	485	470	450	60	20.0
ES RM-R12U	12RU Standard Rack; W/C; Front/Back Cover Panels	560	700	730	Rack Mount Vertical	485	470	540	60	23.0
ES RM-R16U	16RU Standard Rack; W/C; Front/Back Cover Panels	560	700	910	Rack Mount Vertical	485	470	720	70	35.0
ES RM-R18U	18RU Standard Rack; W/C; Front/Back Cover Panels	560	700	1012	Rack Mount Vertical	485	470	820	70	34.0
Anti-Shock Rack Mount Series										
ES RM-A4UE	4RU Anti-Shock Rack; W/R; Front/Back Cover Panels	615	685	315	Rack Mount Vertical	485	470	195	60	15.0
ES RM-A6UE	6RU Anti-Shock Rack; W/R; Front/Back Cover Panels	615	685	400	Rack Mount Vertical	485	470	280	60	20.0
ES RM-A8UE	8RU Anti-Shock Rack; W/R; Front/Back Cover Panels	615	685	490	Rack Mount Vertical	485	470	370	60	23.5
ES RM-A10UE	10RU Anti-Shock Rack; W/R; Front/Back Cover Panels	615	685	580	Rack Mount Vertical	485	470	450	60	23.0
ES RM-A12U	12RU Anti-Shock Rack; W/C; Front/Back Cover Panels	615	685	800	Rack Mount Vertical	485	470	540	60	40.0
ES RM-A16U	16RU Anti-Shock Rack; W/C; Front/Back Cover Panels	615	685	990	Rack Mount Vertical	485	470	720	60	43.0
ES RM-A18U	18RU Anti-Shock Rack; W/C; Front/Back Cover Panels	615	685	1080	Rack Mount Vertical	485	470	820	60	51.0
ES RM-A20U	20RU Anti-Shock Rack; W/C; Front/Back Cover Panels	615	685	1165	Rack Mount Vertical	485	470	900	60	51.0
ES RM-A22U	22RU Anti-Shock Rack; W/C; Front/Back Cover Panels	615	685	1250	Rack Mount Vertical	485	470	990	60	54.0
ES RM-A24U	24RU Anti-Shock Rack; W/C; Front/Back Cover Panels	615	685	1335	Rack Mount Vertical	485	470	1080	60	57.0
Steel Equipment Rack Series										
ES ER-P20U	20RU Steel Equipment Rack; Perspex Door; Top Dual Fan Outlets; Side Vents	585	585	1140	Rack Mount Vertical	485	430	900	N/A	50.0
ES ER-P24U	24RU Steel Equipment Rack; Perspex Door; Top Dual Fan Outlets; Side Vents	585	585	1320	Rack Mount Vertical	485	430	1080	N/A	58.2
ES ER-P40U	40RU Steel Equipment Rack; Perspex Door; Top Dual Fan Outlets; Side Vents	585	585	2020	Rack Mount Vertical	485	430	1800	N/A	89.0
	Flat Pack Dimensions in crate	2000	640	260	Rack Mount Vertical				N/A	93.0
Economy Steel Equipment Rack Series										
ES RM-M8U	8RU Steel Equipment Rack; Black; Open Front & Back; Castors/Adjustable Feet	560	460	440	Rack Mount Vertical	445	375	360	N/A	12.0
ES RM-M10U	10RU Steel Equipment Rack; Steel; Open Front & Back; Castors/Adjustable Feet	560	460	540	Rack Mount Vertical	445	375	450	N/A	17.0
ES RM-M12U	12RU Steel Equipment Rack; Steel; Open Front & Back; Castors/Adjustable Feet	560	460	640	Rack Mount Vertical	445	375	540	N/A	19.0
ES RM-M16U	16RU Steel Equipment Rack; Steel; Open Front & Back; Castors/Adjustable Feet	560	460	840	Rack Mount Vertical	445	375	720	N/A	23.0

Encore Show Case Dimensions and Weights

Code	Description	Width O.D.	Depth O.D.	Height O.D.	Compartments	Internal Width	Internal Depth	Internal Height	Internal Lid Height	Net Weight
Utility Road Case Series										
ES RC-T001	Drawers (4) Case; W/C (5); 5 Shelves in Front Door	545	675	910	Drawers 1-3	440	460	120	N/A	50.5
					Drawer 4	440	460	225		
					Door Shelves (5)	100	100	230		
ES RC-T002	Foam-lined Light Duty Small Brief Cases; W/R; Dividers	400	350	130	4 (Removable Dividers)	376	276	74	35	1.6
ES RC-T003	General Purpose Rolling Case; 80kg Load Capacity	420	400	780	1	670	360	250	65	17.0
ES RC-T004	Heavy Duty Carry Case; Removable Lid; W/R; HD Foam-lined; Easy-Cut Packing Foam	595	405	200	1	555	348	80	53	9.5
ES RC-T006	LCD Monitor Carry Case; W/R; Easy-Cut Packing Foam	590	590	290	1	555	555	200	50	9.5
ES RC-C001	Loom Cable Packer; High Density Foam-lined; W/C	1120	575	665	1	1070	515	400	65	36.0
ES RC-C002	Standard Cable Packer; High Density Foam-lined; W/C	800	575	665	1	740	515	400	65	28.0
ES RC-C003	Long Cable Packer; High Density Foam-lined; W/C	1425	575	665	1	1365	515	400	65	42.0
ES RC-C004	Small Cable Packer; High Density Foam-lined; W/C	575	575	665	1	515	515	400	65	35.0
ES RC-C006	Small Cable Packer; High Density Foam-lined; W/C	798	798	660	3	230	750	420	65	45.0
General Lighting & Equipment Road Case Series										
ES RC-KB001	Key Board Case	455	210	1480	1	390	80	1415	55	37.0
ES RC-L002A	8 Lamp (Par 64 size fittings) Road Case; W/C; HD Foam-lined; Dividers	1050	540	765	8	230	220	500	65	23.5
ES RC-L003	4 Compartment Generic Case; W/C; Dividers; High Density Foam-lined	1005	780	755	4	470	345	485	65	28.0
ES RC-L004	Projector Carry Case; W/R	635	435	280	1	607	410	210	60	6.0
ES RC-L005	Dual Martin Atomic Strobe Carry Case; W/R; High Density Foam-lined; Divided	580	600	455	2	510	245	325	55	17.5
ES RC-L006	24" Mirror Ball Carry Case; W/R; High Density Foam-lined	620	620	850	1	555	560	595	65	31.0
ES RC-L007	Speaker/Microphone Stand Case; W/C; HD Foam-lined; Dividers; Panel Inserts	1225	460	810	2	1155	177	550	55	43.5
ES RC-L007-1	Speaker/Microphone Stand Case; W/C; HD Foam-lined; Dividers; Panel Inserts	1325	465	815	2	1260	175	560	55	43.5
ES RC-L009	8 Lamp 500/650W Fresnel/Profile Road Case; W/C; HD Foam-lined; Dividers	920	560	730	8	240	200	630	55	36.4
ES RC-L010	8 Lamp 15/30 & 19/26 Profile Road Case; W/C; HD Foam-lined; Dividers	1220	610	970	8	280	270	860	55	65.5
ES RC-L011	Studio Due City Color 400 Road Case; W/C; Mounting Holes on Base; HD Foam-lined	580	565	930	1	510	495	130	630	34.0
ES RC-L012	Par Bar Cases (2 Bars of 4); W/C; HD Foam-lined	1425	620	85	2	1330	260	580	70	53.5
ES RC-L013	4 Way Audience Blinder (8 Bank) Road Case; W/C; Dividers; High Density Foam-lined	1025	635	690	4	955	120	1	55	49.0
ES RC-L014	8 Way Multipar Road Case; W/C; High density Foam-lined	1040	665	635	8	990	290	375	70	51.0
ES RC-L015	DTS Moon 1200 Follow Spot Road Case; W/C; Foam-lined	1200	620	680	1 (Follow Spot)	855	340	415	70	44.0
					2 (Stand)	1160	200	215		
					3 (Storage)	255	275	230		
ES RC-L016	Studio Due City Color 2500 Road Case; W/C; Mounting Holes on Base; HD Foam-lined	845	670	1005	1	775	610	135	675	41.0
ES RC-L016-1	City Color 2500 Road Case	970	700	975	1	915	645	125	645	48.0
ES RC-L017	4 Way Chromabank Road Case; W/C; Removable Separation Panel; HD Foam-lined	1425	615	650	1	1160	545	380	65	46.0
ES RC-L018S	Single LED Column Road Case; Castors; High Density Foam-lined	2365	455	600	1	2280	390	320	70	63.0
ES RC-Z015	X2/LP600 Data Projector Case; Soft Foam-Lined	480	340	195	2	270 / 65	225 / 300	65 / 130	30	5.0
ES RC-Z016	LP70+/LP120 Data Projector Case; Soft Foam-Lined	445	245	140	2	260 / 100	160 / 210	90 / 85	0	4.5
Moving Head Road Case Series										
ES RC-MH001	Dual Road Case for Geni Oby 3/5 Moving Heads; W/C; HD Foam-lined				1					41.4
ES RC-MH002	Dual Road Case for Geni Oby 600 Moving Heads; W/C; HD Foam-lined				1					39.0
ES RC-MH003	Dual Road Case for VariLite VL3000 Moving Heads; W/C; HD Foam-lined				1					69.2
ES RC-MH004	Dual Road Case for Clay Paky Alpha Moving Heads; W/C; HD Foam-lined	1210	710	860	1	1150	645	610	55	
ES RC-MH006	Dual Road Case for VariLite VL2000 Moving Heads; W/C; HD Foam-lined	1000	620	955	2	140 / 250	200 / 470	350 / 520	70	43.0
Towerlift Road Case Series										
ES RC-TL001	Single Road Case to suit VMB TE-076Pro Towerlift; W/C; HD Foam-lined	1900	600	760	1	1820	520	490	50	73.0
ES RC-TL002	Single Road Case to suit VMB TE-064Pro Towerlift; W/C; HD Foam-lined	1810	550	700	1	1735	475	430	50	76.0
ES RC-TL003	Single Road Case to suit VMB TE-071/074Pro Towerlift; W/C; HD Foam-lined	1845	590	765	1	1775	530	515	50	73.0
ES RC-TL005	Single Road Case to suit VMB TE-064Pro Towerlift; W/C; HD Foam-lined	2075	615	795	1	2010	550	540	50	86.0
Smoke Machine Case Series										
ES RC-S001	JEM ZR33 Carry Case; W/R; High density Foam-lined	500	330	435	1	700	390	305	50	16.5
ES RC-S001-F	JEM ZR33 Carry Case; W/R; No Foam-lining	450	1025	455	2	405	715 / 260	85	355	30.5
ES RC-S002	JEM 24/7 Hazer Carry Case; W/R; High density Foam-lined	495	320	425	1	430	260	305	50	10.0
ES RC-S003	Unique hazer Carry Case	283	533	345	1	245	455	55	255	21.0
Microphone Case Series										
ES MC-M001	Upright Style Microphone Carry Case for 24 Microphones & Accessories; W/R	320	590	325	1 (Microphones)	285	400	235	45	8.0
					2 (Storage)	285	145	235		
ES MC-M002	Upright Style Microphone Carry Case for 16 Microphones; W/R	475	315	355	1 Microphone/2 Storage	280 / 150	280 / 280	20 / 230	50	5.5
ES MC-M003	Brief Case Style Microphone Carry Case for 8 Microphones; W/R	455	265	110	1	435	210	50	20	2.0
ES MC-M004	2RU Rackmount Radio Microphone Carry Case; W/R	550	555	140	1	490	400	105	50	5.0
ES MC-M004-1	2RU Rackmount Radio Microphone Carry Case; W/R; 200mm Deep				1					
Plasma Screen Series										
ES SC-S42P	Single 42" Plasma Screen Case; W/C; 2 Storage Compartments	1200	425	925	Screen Space	1025-1040	80-100	630-640	N/A	46
					Storage (2 off)	60	30	330		
ES SC-D42P	Dual 42" Plasma Screen Case; W/C; 2 Storage Compartments	1530	570	925	Screen Space	1025-1040	80-100	630-640	N/A	55
					Storage (2 off)	150	510	355		

Encore Show Case Dimensions and Weights

Code	Description	Width O.D. (mm)	Depth O.D. (mm)	Height O.D. (mm)	Compartments	Internal Width (mm)	Internal Depth (mm)	Internal Height (mm)	Internal Lid Height (mm)	Net Weight (kg)
Plasma Screen Series (continued)										
ES SC-S50P	Single 50" Plasma Screen Case; W/C; 2 Storage Compartments	1410	425	1045	Screen Space	1240-1265	95-115	740-750	N/A	50
					Storage (2 off)	160	140	420		
ES SC-D50P	Dual 50" Plasma Screen Case; W/C; 2 Storage Compartments	1760	600	1060	Screen Space	1240-1265	95-115	740-750	N/A	62
					Storage (2 off)	150	530	420		
Chain Motor Series										
ES RC-CH001	Single CM Lodestar 1.0T Chain Motor Case; W/C; HD Foam-lined; 12mm Plywood	655	595	675	1					35.0
Accessories										
ES AC-RF1UA	1RU Rackmount Shelf (Black) - 2 per carton	483	255	45	N/A	N/A	N/A	N/A	N/A	1.6
ES AC-RF2UA	2RU Rackmount Shelf (Black) - 2 per carton	483	255	90	N/A	N/A	N/A	N/A	N/A	1.9
ES AC-RF3UA	3RU Rackmount Shelf (Black) - 2 per carton	483	255	135	N/A	N/A	N/A	N/A	N/A	2.0
ES AC-RF4UA	4RU Rackmount Shelf (Black) - 2 per carton	483	255	180	N/A	N/A	N/A	N/A	N/A	2.5
ES AC-RF2UAD	2RU Rackmount Shelf (Black) - 2 per carton	483	380	90	N/A	N/A	N/A	N/A	N/A	1.9
ES AC-RF3UAD	3RU Rackmount Shelf (Black) - 2 per carton	483	380	135	N/A	N/A	N/A	N/A	N/A	2.0
ES AC-RP1U01	1RU Rackmount Ventilated Blank Panel - 20 per carton	483	N/A	45	N/A	N/A	N/A	N/A	N/A	0.4
ES AC-RP1U02	1RU Rackmount Blank Panel - 20 per carton	483	N/A	45	N/A	N/A	N/A	N/A	N/A	0.5
ES AC-RP2U01	2RU Rackmount Ventilated Blank Panel - 20 per carton	483	N/A	90	N/A	N/A	N/A	N/A	N/A	0.7
ES AC-RP2U04	2RU Rackmount Blank Panel - 20 per carton	483	N/A	90	N/A	N/A	N/A	N/A	N/A	0.6
ES AC-RD2U	2RU Rackmount Drawer	483	355	90	1	405	345	70	N/A	6.1
ES AC-RD3U	3RU Rackmount Drawer	483	355	135	1	405	345	115	N/A	7.0
ES AC-RD4U	4RU Rackmount Drawer	483	355	180	1	405	345	165	N/A	8.0
Note: Dimensions and Weights subject to change. No liability taken for information outlined in this document.										